



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/847,145	05/02/2001	Wolfgang Theimer	473-010326-US(PAR)	6585
2512	7590	10/04/2005	EXAMINER	
PERMAN & GREEN 425 POST ROAD FAIRFIELD, CT 06824			NGUYEN, LE V	
			ART UNIT	PAPER NUMBER
			2174	
DATE MAILED: 10/04/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/847,145

Applicant(s)

THEIMER, WOLFGANG

Examiner

Le Nguyen

Art Unit

2174

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 11 July 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

### **DETAILED ACTION**

1. This communication is responsive to an amendment filed 7/11/05.
2. Claims 1-10 are pending in this application. Claims 1 and 10 are independent claims. Claim 1 has been amended; and, claim 10 has been newly added.
3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### ***Claim Rejections - 35 USC § 103***

4. Claims 1-3, 5-8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Osawa et al. ("Osawa") in view of Bush et al. ("Bush").

As per claim 1, although Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising a plurality of application devices (Abstract; figs. 3a-3b), wherein control information input is interpreted in accordance with available application devices (page 11, line 4 through page 12, line 1) and an application device is controlled in accordance with the result of the interpretation (page 13, lines 5-14), Osawa does not explicitly disclose a control information inputted by a user independently from a permanently predetermined menu structure wherein the control information is interpreted in accordance with available applications by checking whether the control information is known, unambiguous and complete. Bush teaches a method for controlling a system comprising a plurality of application devices wherein control information inputted by a user independently from a permanently predetermined menu structure is interpreted in accordance with available ones of the application

devices by checking whether the control information is known, unambiguous and complete for one of the application devices (col. 5, lines 30-32; col. 22, lines 42-47). Therefore, it would have been obvious to an artisan at the time of the invention to include Bush's teaching of control information inputted by a user independently from a permanently predetermined menu structure being interpreted in accordance with available applications by checking whether the control information is known, unambiguous and complete to Osawa's teaching of control information input being interpreted in accordance with available application devices and an application device is controlled in accordance with the result of the interpretation in order to provide users with a visual indication that an error has occurred and alert them to the fact that their input was not recognized.

As per claim 2, the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the control information specified by a user is signaled back to the user as announcement or indication for the purpose of acknowledgement (Osawa: page 11 line 25 through page 12, line 25; fig. 3b, element S11; page 5, lines 19-21; page 17, line 20 through page 18, line 6; page 20, lines 6-7; *the control information specified by a user via the remote controller is inherently signaled back to the user as announcement or indication for the purpose of acknowledgement so that users have an indication as to what they are selecting*).

As per claim 3, the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application

device characterized in that control information input which allows a number of possibilities for its interpretation is signaled back as selection list (Osawa: figs. 8-9; page 11, line 25 through page 12, line 5; page 12, lines 17-25).

As per claim 5, the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that a check is made whether the control information is complete in order to be able to execute a requested action, and that the user is requested to complete the control information if this is not the case (Osawa: page 11, lines 4-24; page 16, lines 3-24; page 18, lines 12-20).

As per claim 6, the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the control information input as keyword or keywords is compared with stored keywords for the purpose of interpretation (Osawa: page 10, lines 17-22).

As per claim 7, the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the available application devices, control instructions and control parameters are stored as keywords as control information (Osawa: page 9, lines 11-14; page 10, lines 17-22; *wherein the keyword(s) or code are stored in a table and used to conduct searching operations for control information*).

As per claim 8, the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application

device characterized in that the control parameters are stored as lists (Osawa: fig. 4; page 9, lines 11-14).

As per claim 10, although Osawa teaches a method for controlling a system having a plurality of application devices (Abstract; figs. 3a-3b), wherein control information input is interpreted in accordance with available application devices (page 11, line 4 through page 12, line 1) and an application device is controlled in accordance with the result of the interpretation (page 13, lines 5-14), Osawa does not explicitly disclose control information inputted by a user independently from a permanently predetermined menu structure wherein the control information is interpreted in accordance with available applications by checking whether the control information is known, unambiguous and complete and that in the event of the presence of a lack of knowledge or ambiguity or incompleteness of the control information, the system signaling to the user to resolve a lack of knowledge or ambiguity or incompleteness of the control information wherein the signaling is independent of a permanently predetermined menu structure and enables the user to enter a response for resolving the lack of knowledge or ambiguity or incompleteness of the control information to insure that the control information is known, unambiguous and complete for one of the application devices. Bush teaches a method for controlling a system comprising a plurality of application devices wherein control information inputted by a user independently from a permanently predetermined menu structure is interpreted in accordance with available ones of the application devices by checking whether the control information is known, unambiguous and complete and that in the event of the

presence of a lack of knowledge or ambiguity or incompleteness of the control information, the system signaling to the user to resolve the lack of knowledge or ambiguity or incompleteness of the control information wherein the signaling is independent of a permanently predetermined menu structure and enables the user to enter a response for resolving the lack of knowledge or ambiguity or incompleteness of the control information to insure that the control information is known, unambiguous and complete for one of the application devices (col. 5, lines 30-32; col. 22, lines 42-47).

Therefore, it would have been obvious to an artisan at the time of the invention to include Bush's teaching of control information inputted by a user independently from a permanently predetermined menu structure being interpreted in accordance with available applications by checking whether the control information is known, unambiguous or complete and that in the event of the presence of a lack of knowledge or ambiguity or incompleteness of the control information, the system signaling to the user to resolve it wherein the signaling is independent of a permanently predetermined menu structure and enables the user to enter a response for resolving the lack of knowledge or ambiguity or incompleteness of the control information to Osawa's teaching of control information input being interpreted in accordance with available application devices and an application device is controlled in accordance with the result of the interpretation so that users may be alerted of the operational status of the system via visual indicators that an error has occurred due to unrecognizable input.

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Osawa et al. ("Osawa") in view of Bush et al. ("Bush") as applied to claim 2, and further in view of Darbee et al. ("Darbee").

As per claim 4, although the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the control information specified by a user is signaled back to the user as announcement or indication for the purpose of acknowledgement (Osawa: page 11 line 25 through page 12, line 25; fig. 3b, element S11; page 5, lines 19-21; page 17, line 20 through page 18, line 6; page 20, lines 6-7), The modified Osawa does not explicitly disclose that the control information input which cannot be reliably interpreted is correspondingly marked in the return signaling. Darbee teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the control information input which cannot be reliably interpreted is correspondingly marked in the return signaling (col. 21, lines 18-23). Therefore, it would have been obvious to an artisan at the time of the invention to include Darbee's method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the control information input which cannot be reliably interpreted is correspondingly marked in the return signaling to the modified Osawa's method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that the control information specified by a user is signaled back to the user as announcement or indication for the



purpose of acknowledgement to provide feedback so that users may take corrective action(s).

6. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Osawa et al. ("Osawa") in view of Bush et al. ("Bush").

As per claim 9, although the modified Osawa teaches a method for controlling a system, especially an electrical and/or electronic system comprising at least one application device characterized in that control instructions are stored as data record for the application devices affected and control parameters are stored as keywords as control information (Osawa: page 9, lines 11-14; page 10, lines 17-22), Osawa does not explicitly disclose the control instruction being stored together with dummy codes for the applications devices affected. Official Notice is taken that using a dummy to reserve space is well known in the art. Therefore, it would have been obvious to an artisan at the time of the invention to include the use of a dummy to Osawa's record so that space may be reserved until the intended item is available.

### ***Response to Arguments***

7. Applicant's arguments with respect to claims 1-9 have been considered but are moot in view of the new ground(s) of rejection.

Furthermore, the Office notes that applicant did not contest the factual assertion set forth under Official Notice in paragraph two of section six of the Office Action of 1/12/05.

Houser et al. (US 5,774,859) teach information system having a speech interface.

Herz (US 6,407,779 B1) teaches a method and apparatus for an intuitive universal remote control system.

Kuhn et al. (US 6,553,345 B1) teach a universal remote control allowing natural language modality for television and multimedia searches and requests.

Buil et al. (US 6,718,307 B1) teach a speech input device with attention span.

Allport (US 6,882,299 B1) teaches a portable Internet-enabled controller and information browser for consumer devices.

### ***Inquires***

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Lê Nguyen whose telephone number is **(571) 272-4068**. The examiner can normally be reached on Monday - Friday from 7:00 am to 3:30 pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid, can be reached on (571) 272-4063.

The fax numbers for the organization where this application or proceeding is assigned are as follows:

(703) 872-9306 [Official Communication]

Art Unit: 2174

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

LVN  
Patent Examiner  
September 4, 2005

*Kristine Lincaid*  
KRISTINE LINCAID  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100